

# Delock LTE Antenna SMA plug 2 - 3 dBi 11 cm fixed omnidirectional with magnetic base and connection cable RG-174 A/U 3 m outdoor black

## Description

This antenna by Delock allows the usage of different LTE bands indoors and outdoors.



**Item no. 12585**

EAN: 4043619125852

Country of origin: China

Package: Box

## Technical details

- Connector: 1 x SMA plug
- Frequency range:
  - 698 MHz - 960 MHz
  - 1710 MHz - 2170 MHz
  - 2500 MHz - 2700 MHz
- ZigBee, LoRa, DECT, Z-Wave, NB-IoT, Bluetooth, GSM, UMTS, LTE, ISM, WLAN
- Antenna gain: 2 - 3 dBi
- Impedance: 50 Ohm
- VSWR: 1.5
- Polarisation: linear, vertical
- Operating temperature: -20 °C ~ 70 °C
- Housing material: ABS
- Protection class: IPX5
- Cable: coaxial
- Cable type: RG-174 A/U
- Cable colour: black
- Cable attenuation: 1.5 dB @ 1.5 GHz per meter

- Cable diameter: ca. 2.7 mm
- Cable length incl. connector: ca. 3 m
- Dimensions (LxD): ca. 110.0 x 48.0 mm

---

## System requirements

- Device with a free SMA connector


---

## Package content

- Antenna

---

## Images



## General

|                       |          |
|-----------------------|----------|
| Mounting type:        | magnetic |
| Protection category:  | IPX5     |
| Suitable for outdoor: | yes      |

## Interface

|            |              |
|------------|--------------|
| connector: | 1 x SMA plug |
|------------|--------------|

## Technical characteristics

|                        |   |
|------------------------|---|
| Frequency range:       | 2500 MHz - 2700 MHz<br>698 MHz - 960 MHz<br>1710 MHz - 2170 MHz |
| Antenna gain:          | 5 - 7 dBi   |
| Impedance:             | 50 Ω  |
| Operating temperature: | -20 °C ~ 70 °C  |
| Polarisation:          | linear vertical   |
| VSWR:                  | 1.5   |

## Physical characteristics

|                               |                            |
|-------------------------------|----------------------------|
| Housing material:             | ABS                        |
| Cable category:               | coaxial                    |
| Cable type:                   | RG-174 A/U                 |
| Cable attenuation:            | 1.5 dB @ 1.5 GHz per meter |
| Cable colour:                 | black                      |
| Cable length incl. connector: | 3.0 m                      |
| Dimensions (LxØ):             | 110.0 x 48.0 mm            |