

# Delock Antenna Cable SMA plug > SMA jack CFD400 LLC400 0.4 m low loss

## Description

This high-quality coaxial cable ensures a reliable connection of components of the radio frequency technology. It is characterised by a very low attenuation.



**Item no. 13004**

EAN: 4043619130047

Country of origin: Taiwan,  
Republic of China

Package: Box

## Technical details

- Connector: SMA plug > SMA jack
- Cable type: CFD400, LLC400
- Impedance: 50 Ohm
- Cable Attenuation:
  - 2.4 GHz: ca. 0.22 dB per meter
  - 5.7 GHz: ca. 0.35 dB per meter
- Diameter: ca. 10.5 mm
- Smallest bending radius: 51.5 mm
- Colour: black
- Cable length: ca. 0.4 m


## System requirements

- Device with a free SMA connector

## Package content

- Antenna cable

## Images



### Interface

|              |              |
|--------------|--------------|
| Connector 1: | 1 x SMA plug |
| Connector 2: | 1 x SMA jack |

### Physical characteristics

|                               |                             |
|-------------------------------|-----------------------------|
| Cable category:               | coaxial                     |
| Cable type:                   | CFD400, LLC400              |
| Cable attenuation:            | 0.22 dB @ 2.4 GHz per meter |
| Cable colour:                 | black                       |
| Cable length incl. connector: | 0.4 m                       |
| Smallest bending radius:      | 51.5 mm                     |