

Delock HDMI UHD Switch 3 x HDMI in > 1 x HDMI out 4K

Description

With this HDMI switch by Delock up to three HDMI devices can be used with one HDMI monitor, TV or projector. With the button on the device or the remote control you can switch between the HDMI devices.



Item no. 18683

EAN: 4043619186839

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - Input:
 - 3 x HDMI-A 19 pin female
 - 1 x DC 5 V power connector
 - Output:
 - 1 x HDMI-A 19 pin female
- HDMI port switching: automatic function, via button or via infrared remote control
- LED indicators for active HDMI port
- High Speed HDMI specification
- Supports 3D displays
- Supports HDCP 1.4 and 2.2
- Supports HDR
- Supports CEC
- Resolution up to 3840 x 2160 @ 60 Hz (depending on the system and the connected hardware)
- Video bandwidth up to 600 MHz / 6 Gbps, max. 18 Gbps
- Power consumption: max. 2.0 W
- Metal housing
- Colour: black

- Dimensions (LxWxH): ca. 80 x 51 x 20 mm

Power supply specification

- Wall power supply
- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 0.3 A
- Output: 5 V / 1 A
- Ground outside, plus inside
- Dimensions:
 - inside: \varnothing ca. 2.1 mm
 - outside: \varnothing ca. 5.5 mm
 - length: ca. 9 mm

System requirements

- A free HDMI female
- HDMI cable

Package content

- HDMI switch
- Remote control
- USB power cable, length: ca. 0.5 m
- External power supply
- User manual

Images



Input: ① 2 x HDMI-A 19 pin female output: ① 1 x HDMI-A 19 pin female
② 1 x DC 5 V power connector

General

Specification:	High Speed HDMI HDCP 2.2
----------------	-----------------------------

Interface

Output:	1 x HDMI-A female
Input:	1 x 5 V DC female 5,5 mm x 2,1 mm 3 x HDMI-A female

Technical characteristics

Maximum screen resolution:	3840 x 2160 @ 60 Hz
----------------------------	---------------------

Physical characteristics

Housing colour:	black
Housing material:	metal
Length:	80 mm
Width:	51 mm
Height:	20 mm

Power supply

Type:	Euro wall power supply
Input:	AC 100 - 240 V / 50 - 60 Hz / 0.5 A
Output:	5 V / 2 A
Connector:	DC male 5.5 mm x 2.1 mm
Cable length:	1 m