

# Delock Fabric heat shrink tube 2 m x 10 mm shrinkage ratio 2:1 black

## Description

This special fabric heat shrink tube by Delock can be used for cable bundling and offers very high abrasion, scuff, and insulation protection under heat influence. The excellent fabric structure provides the tube with outstanding flexibility and durability.

### Excellent shrinkage behaviour

The heat shrink tube can be heated with a hot air gun and the hose shrinks to half its original diameter when heated.

### Multifunctional application

Fabric heat shrink tubes can be used, for e.g. in engine compartments, for cooling water lines or hydraulic lines.



Ø 10 mm / 2 m

**Item no. 20792**

EAN: 4043619207923

Country of origin: China

Package: Zip poly bag


## Technical details

- Length: ca. 2 m
- Diameter: ca. 10 mm
- Shrinkage ratio 2:1
- Shrinking temperature: 110 °C ~ 185 °C
- Colour: black
- Material: polyolefin and polyester

## Package content

- Fabric heat shrink tube

## Images



### Technical characteristics

|                        |                 |
|------------------------|-----------------|
| Shrinking temperature: | 110 °C ~ 185 °C |
| Shrinkage ratio:       | 2:1             |

### Physical characteristics

|           |                         |
|-----------|-------------------------|
| Material: | polyester<br>polyolefin |
| Diameter: | 10 mm                   |
| Colour:   | black                   |