

# Delock USB GaN punjač 1 x USB Type-C™ PD 3.1 s 140 W

## Opis

Ovaj USB punjač tvrtke Delock može se koristiti za punjenje USB uređaja. Priključak je opremljen USB Type-C™ Power Delivery (PD 3.1), pa se podržani uređaji mogu puniti s do 140 vata.

## USB-PD verzija 3.1

USB PD 3.1 specifikacija definira naponske razine od 28, 36 i 48 volti s podrškom za prošireni raspon snage (EPR) svaki s 5 ampera. Zbog izračunate maksimalne snage od 240 W (48 V / 5 A), uz snažna prijenosna i stolna računala mogu se napajati i druge klase uređaja. Punjač tvrtke Delock ima izlaznu snagu od 28 V i 5 A.

## GaN tehnologija

Uporaba GaN (galijev nitrid) tranzistora povećava učinkovitost u odnosu na konvencionalnu silikonsku tehnologiju. Visoka izlazna snaga može se postići čak i s vrlo kompaktnim dimenzijama.

## Napomena

Za EPR način rada (28, 36, 48 V / 5 A) obvezan je USB kabel s pripadajućim E-markerom. Ako ovaj E-marker nije dostupan, prenose se maks. 3 A.

Odgovarajući kabeli tvrtke Delock dostupni su kao opcija.



### Predmet br. 41471

EAN: 4043619414710

Zemlja podrijetla: China

Pakiranje: Retail Box

## Tehnički podaci

- Priključak:
  - 1 x USB Type-C™ ženski
  - 1 x utikač CEE 7/16
- Ulaz: AC 100 ~ 240 V / 50 ~ 60 Hz / 2,0 A
- Izlaz:
  - PD 3.1: 5,0 V / 9,0 V / 12,0 V / 15,0 V / 3,0 A, 20,0 V / 28,0 V / 5,0 A
- Izlazna struja: maks. 140,0 W ukupno
- Prosječna učinkovitost pod opterećenjem 89,75 %
- Učinkovitost pri niskom opterećenju (10 %) 87,28 %

- Potrošnja energije u stanju bez opterećenja 0,182 W
- USB Power Delivery (PD) 3.1
- Zaštita od preopterećenja
- Zaštita od previsoke struje
- Zaštita od pregrijavanja
- Zaštita od kratkog spoja
- Boja: bijela
- Dimenzije bez utikača (DxŠxV): oko 113 x 75 x 35 mm

---

## Sadržaj pakiranja

- USB punjač
- USB kabel Type-C™ u kabel USB Type-C™, duljina oko 1 m
- Korisnički priručnik

---

## Slike



## Physical characteristics

Kućiče boja:	bijela
Duljina:	113 mm
Width:	75 mm
Height:	35 mm

## Power supply

Input:	AC 100 - 240 V / 50 - 60 Hz / 2,0 A
Output:	5,0 V / 3,0 A 9,0 V / 3,0 A 15,0 V / 3,0 A 12,0 V / 3,0 A 20,0 V / 5,0 A 28,0 V / 5,0 A
Connector:	1 x USB Type-C™ ženski