


Delock M12 Adapter X-coded 8 pin female to RJ45 jack Cat.6A STP shielded 90° angled

Description

This industrial Ethernet adapter by Delock can be used to connect various components with M12 connectors, e.g. for machine control or automation.

Installation in switch cabinet

Due to its compact dimensions, the adapter is very well suited for installation in a switch cabinet. Devices with M12 connectors can be integrated into an existing network structure.



Item no. 60088

EAN: 4043619600885

Country of origin: China

Package: Poly bag


Technical details

- Connectors:
 - 1 x M12 female 8 pin X-coded
 - 1 x RJ45 jack 90° angled
- Cat.6A specification
- Installation dimensions: 16.1 x 13.6 mm
- Housing material: PBT / metal
- Shielded (STP)
- M16 external thread
- Silicone sealing ring red
- Contacts gold-plated
- Operating voltage: max. 50 V
- Current:
 - M12: max. 0.5 A
 - RJ45: max. 1.5 A
- Operating temperature: -10 °C ~ 60 °C
- Protection class: IP67 (M12), IP20 (RJ45)
- Colour: black / silver
- Dimensions (LxWxH): ca. 46.3 x 23.9 x 22.4 mm

Package content

- Adapter

Images



General

Specification:	Cat. 6A
Protection category:	IP67 IP20

Interface

Connector 1:	1 x M12 female X-coded 8 pin
Connector 2:	1 x RJ45 jack 90° angled

Technical characteristics

Operating voltage:	50 V
Operating temperature:	-10 °C ~ 60 °C

Physical characteristics

Material:	metal PBT
Shielding:	STP
Length:	46.3 mm
Width:	23.9 mm
Height:	22.4 mm
Colour:	silver / black