

Delock M8 T-Splitter A-coded 4 pin 1 x male to 2 x female parallel connection

Description

This industrial T-splitter by Delock can be used to connect various components with M8 connectors, e.g. for machine control or automation.



Item no. 60576

EAN: 4043619605767

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x M8 A-coded 4 pin male
 - 2 x M8 A-coded 4 pin female
- Housing material: PVC
- Contacts gold-plated
- Operating voltage: max. 60 V
- Current: max. 3 A
- Operating temperature: -25 °C ~ 85 °C
- Protection class: IP67
- Thread size: M8 x 1.0 mm
- Colour: black
- Dimensions (LxWxH): ca. 50 x 37 x 11 mm


System requirements

- A free M8 female port
- A free M8 plug

Package content

- T-splitter
-

Images



Interface

| | |
|--------------|-------------|
| Connector 1: | 1 x M8 male |
| Connector 2: | 2 x M8 jack |

Technical characteristics

| | |
|----------------------|------|
| Operating voltage: | 60 V |
| Current consumption: | 3 A |

Physical characteristics

| | |
|-------------------|-------|
| Housing material: | PVC |
| Length: | 50 mm |
| Width: | 37 mm |
| Height: | 11 m |
| Colour: | black |
| Thread type: | M8 |