


# Delock M12 Y-Splitter A-coded 4 pin 1 x female to 1 x male und 1 x female parallel connection

## Description

This industrial Y-splitter by Delock can be used to connect various components with M12 connectors, e.g. for machine control or automation.



**Item no. 60581**

EAN: 4043619605811

Country of origin: China

Package: Zip poly bag

## Technical details

- Connectors:
  - 1 x M12 A-coded 4 pin female
  - 1 x M12 A-coded 4 pin male + 1 x M12 A-coded 4 pin female
- Housing material: PVC
- Contacts gold-plated
- Operating voltage: max. 250 V
- Current: max. 4 A
- Operating temperature: -25 °C ~ 85 °C
- Protection class: IP67
- Thread size: M12 x 1.0 mm
- Colour: black
- Dimensions (LxWxH): ca. 45 x 44 x 14 mm


## System requirements

- A free M12 female port
- Two free M12 male ports

## Package content

- Y-splitter

## Images



### Interface

Connector 1:	1 x M12 female
Connector 2:	1 x M12 female 1 x M12 plug

### Technical characteristics

Operating voltage:	250 V
Current consumption:	4 A

### Physical characteristics

Housing material:	PVC
Length:	45 mm
Width:	44 mm
Height:	14 mm
Colour:	black
Thread type:	M12