

# Delock Adapter USB 2.0 Type-A to 1 x Serial RS-232 DB9

## Description

This adapter by Delock enables the connection of a serial device via a USB Type-A port.



0,8 m

**Item no. 61460**

EAN: 4043619614608

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - 1 x USB 2.0 Type-A male >
  - 1 x serial RS-232 DB9 male with nuts
- Chipset: FTDI
- Data transfer rate up to 460.8 Kbps
- Cable length incl. connectors: ca. 0.8 m



## System requirements

- Linux Kernel 2.6 or above
- Mac OS 10.6 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64/11
- PC or laptop with a free USB Type-A port

## Package content

- USB 2.0 to 1 x serial adapter
- USB 2.0 extension cable
- Driver CD
- User manual

## Images



## General

|                             |   |
|-----------------------------|---|
| Function:                   | Plug & Play   |
| Specification:              | RS-232 (EIA / TIA)<br>USB 1.1<br>USB 2.0  |
| Supported operating system: | Linux Kernel 2.6 or above<br>Mac OS 10.9 or above<br>Windows 10 32-Bit<br>Windows 10 64-Bit<br>Windows 7 32-Bit<br>Windows 7 64-Bit<br>Windows 8.1 32-Bit<br>Windows 8.1 64-Bit<br>Windows Server 2008 R2<br>Windows Server 2012 R2<br>Windows Server 2012<br>Windows Server 2016 |

## Interface

|              |                            |
|--------------|----------------------------|
| Connector 1: | 1 x USB 2.0 Type-A male    |
| Connector 2: | 1 x Serial RS-232 DB9 male |

## Technical characteristics

|                      |  |
|----------------------|--|
| Chipset:             | FTDI FT232RL                               |
| FIFO:                | 128 byte<br>256 Byte                       |
| Signal transmission: | TxD, RxD, RTS, CTS, DTR, DSR, DCD, RI, GND |
| Data transmission:   | asynchronous<br>full duplex                |
| Current consumption: | 20 mA                                      |

## Physical characteristics

|               |       |
|---------------|-------|
| Cable colour: | black |
|---------------|-------|

|                               |             |
|-------------------------------|-------------|
| Cable length:                 | 80 cm       |
| Cable length incl. connector: | 87 cm       |
| Pin finishing:                | gold-plated |
| Screw type:                   | #4-40 UNC   |
| Shielding:                    | double      |
| Colour:                       | black       |