

Delock Adapter USB 2.0 > 1 x Serijski RS-422/485

Opis

Ovaj Delock prilagodnik omogućuje povezivanje serijskog uređaja putem USB Tip-A priključka.



Predmet br. 62406

EAN: 4043619624065

Zemlja podrijetla: China

Pakiranje: Retail Box

Tehnički podaci

- Priključak:
Adapter:
1 x USB 2.0 Tipa-A muški >
1 x serijski RS-422/485 D-Sub 9-pinski muški
Blok priključaka:
1 x serijski RS-422/485 D-Sub 9-pinski ženski >
1 x 6-polni blok priključaka
- Skup čipova: FTDI
- Serijski priključci s maticama za vijke
- Brzina prijenosa podataka do 230,4 Kbps
- Duljina kabela zajedno s priključkom: oko 0,8 m

Preduvjeti sustava

- Windows Vista/Vista-64/7/7-64/8.1/8.1-64/10/10-64/11
- Osobno ili prijenosno računalo sa slobodnim USB Tipa-A priključkom

Sadržaj pakiranja

- USB 2.0 na 1 x serijski RS-422/485 adapter
- Adapter bloka priključaka
- CD s upravljačkim programom
- Korisnički priručnik

Slike



62406	D09 Buchse/Male		TerminalBlock/Terminal Block
	RS-422	RS-485	RS-422/RS-485
1	Transmit (A-)	T/R (A-)	T/R (A-)
2	Transmit (B+)	T/R (B+)	T/R (B+)
3	Receive (A-)	NC	Receive (A-)
4	Receive (B+)	NC	Receive (B+)
5	Signal GND (SG)	Signal GND (SG)	Signal GND (SG)
6	NC	NC	NC
7	NC	NC	NC
8	NC	NC	NC
9	NC	NC	NC

General

Funkcija:	Plug & Play
Tehnički podaci:	RS-422 / RS-485 (EIA / TIA) USB 2.0
Supported operating system:	Linux Kernel 2.6 ili noviji Mac OS 10.14.1 ili noviji Windows 10 32-bit Windows 10 64-bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows Server 2012 R2 Windows Server 2012 Windows Server 2016 Windows 11
Protection:	ESD (Electrostatic Discharge)

Interface

Priključak 1:	1 x USB 2.0 Tipa-A muški
Priključak 2:	1 x Serial RS-422/485 DB9 male
priključak 3:	1 x 6-polni blok priključaka

Technical characteristics

Skup čipova:	FTDI 232R
Brzina prijenosa podataka:	bis zu 230,4 Kbps
Data transmission:	asynchronous Poludupleks full duplex differential
UART:	USB to serial UART
Otpornik:	Termination resistors 120 Ω
Support:	Modbus

Physical characteristics

Kućište boja:	crne
Materijal kućišta:	Plastika
Boja kabela:	brown transparent
Cable length incl. connector:	0,8 m
Površinska zaštita kontakata:	pozlaćeni
Vrsta vijka:	#4-40 UNC
Shielding:	double