

# Delock Adapter USB 3.0 > HDMI (4K)

## Description

Use this USB 3.0 to HDMI Adapter by Delock to connect additional monitors, LCD displays or projectors to a free USB 3.0 or USB 2.0 port of your PC or laptop. You can use up to 6 adapter on your computer and connect each additional monitor by one adapter. The adapter can mirror and extend the display and supports a resolution of up to 3840 x 2160. TV and video transmission will be displayed in Ultra HD (4K) quality.



**Item no. 62617**

EAN: 4043619626175

Country of origin: China

Package: Retail Box

## Technical details

- Connector:
  - Input: 1 x USB 3.0 Type Micro-B female
  - Output: 1 x HDMI-A 19 pin female
- Chipset: DisplayLink DL-5500-N
- High Speed HDMI with Ethernet (HEC) specification
- Transfer of audio signals
- Resolution up to 3840 x 2160 @ 30 Hz (depending on the monitor and your system)
- Supports 16 Bit and 32 Bit colour
- Up to 6 adapter per computer useable
- Integrated RAM 1 GB (DDR3 RAM)
- Setting: extended, mirrored, primary display
- Dimensions (LxWxH): ca. 76 x 44 x 14 mm
- Power consumption: ca. 410 mA
- Resolution (depending on your system of your PCs or laptop) e.g.:
  - 640 x 480
  - 720 x 400
  - 720 x 480
  - 768 x 576
  - 800 x 480
  - 800 x 600

832 x 642  
848 x 480  
1024 x 600  
1024 x 768  
1152 x 864  
1152 x 870  
1280 x 720  
1280 x 768  
1280 x 800  
1280 x 960  
1280 x 1024  
1360 x 768  
1366 x 768  
1368 x 768  
1400 x 1050  
1440 x 900  
1600 x 900  
1600 x 1200  
1680 x 1050  
1920 x 1080  
1920 x 1200  
2048 x 1080  
2048 x 1152  
2048 x 1280  
2048 x 1536  
2560 x 1440  
2560 x 1600  
3840 x 2160

---

## System requirements

- Windows 7/7-64/8/8-64/8.1/8.1-64/10/10-64
- PC or laptop with one free USB 3.0 or USB 2.0 port
- When using 4K an appropriate monitor, PC and graphics card is needed

---

## Package content

- USB 3.0 HDMI adapter
- USB 3.0 cable
- Driver CD

- User manual

## Images

