

Delock Adapter DisplayPort 1.2 male > VGA / HDMI / DVI female 4K Passive black

Description

With this DisplayPort adapter by Delock, the system can be extended by a VGA, HDMI or DVI interface and various devices such as TV, beamer, monitor etc. can be connected. Only one monitor can be used on the adapter.



20 cm

Item no. 62902

EAN: 4043619629022

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - 1 x DisplayPort 20 pin male >
 - 1 x VGA 15 pin female
 - 1 x HDMI-A 19 pin female
 - 1 x DVI-D (Single Link) 24+1 female
- Chipset: 2 x Parade PS8339 (HDMI + DVI), 1 x Analogix ANX9833 (VGA)
- DisplayPort 1.2 and High Speed HDMI with Ethernet (HEC) specification
- DVI-D (Single Link) 24+1 port with nuts (VGA not wired)
- Passive converter (level shifter), suitable only for graphics cards with DP++ output
- Only 1 monitor to the adapter available
- Audio signal is transmitted only over HDMI
- HDMI / DVI specification:
 - Resolution up to 3840 x 2160 @ 30 Hz (depending on the system and the connected hardware)
 - Supports 3D displays (1080p @ 60 Hz)
- VGA specification:
 - Resolution up to WUXGA 1920 x 1200 @ 60 Hz (depending on the system and the

connected hardware)

- 1 x ferrite core
- Cable length without connectors: ca. 20 cm
- Colour: black
- OS independent, no driver installation necessary

System requirements

- One free DisplayPort DP++ female

Package content

- Adapter DisplayPort to VGA / HDMI / DVI

Images



General

Specification:	DisplayPort 1.2 High Speed HDMI with Ethernet
Supported operating system:	OS independent, no driver installation necessary

Interface

Output:	1 x DVI-D 24+1 female 1 x HDMI-A female 1 x VGA 15 pin female
Input:	1 x DisplayPort male

Technical characteristics

Chipset:	2 x Parade PS8339 Analogix ANX9833
Converter type:	passive (level shifter)
Maximum screen resolution:	3840 x 2160 @ 30 Hz 1920 x 1200 @ 60 Hz

Physical characteristics

Ferrite core:	1 x
Cable length:	20 cm (without connector)
Colour:	black