

# Delock Adapter USB Type-C™ male > VGA female (DP Alt Mode)

## Description

This Delock adapter is suitable for the connection of a VGA monitor to a computer with USB-C™ interface and DisplayPort alternate mode support. Thus, the adapter can be connected to different laptops like Macbook, Chromebook and similar. In addition, the adapter can also be operated on a Thunderbolt™ 3 interface.



20 cm

**Item no. 62994**

EAN: 4043619629947

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - 1 x USB Type-C™ male >
  - 1 x VGA 15 pin female
- Chipset: Realtek RTD2169U
- VGA port with nuts
- DisplayPort 1.4 specification
- Resolution up to WUXGA 1920 x 1200 @ 60 Hz (depending on the system and the connected hardware)
- Transfer of analogue video signals
- USB bus powered
- Plug & Play
- Gold-plated connectors
- 1 x ferrite core
- Cable length without connectors: ca. 20 cm
- Colour: black

## System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64, Windows 10 Mobile, Chrome OS, iPad Pro (2018), Linux ex Kernel 4.4, Mac ex OS 10.13
- PC or laptop with a free USB Type-C™ port and DisplayPort alternate mode or
- PC or laptop with a free Thunderbolt™ 3 port

---

## Package content

- USB-C™ to VGA adapter

---

## Images



## General

Function:	Plug & Play
Specification:	DisplayPort 1.4
Supported operating system:	Chrome OS Linux Kernel 4.4 or above Mac OS 10.13 or above Windows 10 32-Bit Windows 10 64-Bit Windows 10 Mobile Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit iPad Pro (2018)

## Interface

Output:	1 x VGA 15 pin female
Input:	1 x USB Type-C™ male

## Technical characteristics

Chipset:	Realtek RTD2169U
Maximum screen resolution:	1920 x 1200 @ 60 Hz
Signal transmission:	video

## Physical characteristics

Ferrite core:	1 x
Cable length:	20 cm
Connector finishing:	gold-plated
Colour:	black