

Delock Converter SFF-8643 > 1 x M.2 NVMe Key M 1 m

Description

This Delock converter enables the connection of an M.2 SSD in 22110, 2280, 2260 and 2242 format. The converter can be installed into the system through U.2 SFF-8643 interface.



Item no. 63342

EAN: 4043619633425

Country of origin: Taiwan,
Republic of China

Package: White Box

Technical details

- IOI part number: IPCIE4XM203CA0P15
- Connectors:
 - 1 x SFF-8643 male
 - 1 x SATA 15 pin plug >
 - 1 x 67 pin M.2 key M slot
- Interface: PCIe
- Supports M.2 modules in format 22110, 2280, 2260 and 2242 with key M or key B+M based on PCIe
- Maximum height of the components on the module: 1.5 mm, application of double-sided assembled modules supported
- 1 x LED indicator
- Supports NVM Express (NVMe)
- Cable length: ca. 1 m
- Dimensions (LxWxH): ca. 145 x 25 x 18 mm

System requirements

- Windows 7/7-64/8/8-64/8.1/8.1-64/10/10-64, Linux ex Kernel 3.17

- A free SFF-8643 interface

Package content

- Converter

Images



General

Function:	NVM Express (NVMe)
Supported operating system:	Linux Kernel 3.17 or above Linux Kernel 4.15 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit
LED indicator:	1 x
Slot:	PCIe
Supported module:	M.2 modules in format 22110, 2280, 2260 and 2242 with key M or key B+M based on PCIe
Maximum height of the components on the module:	1.5 mm application of double-sided assembled modules supported

Interface

Connector 1:	1 x 36 pin SFF-8643 male
Connector 2:	1 x SATA 15 pin plug
connector 3:	1 x 67 pin M.2 key M slot

Physical characteristics

Cable length:	1 m
Length:	145 mm
Width:	25 mm
Height:	18 mm