

Delock Prilagodnik USB 2.0 Tip-A > 2 x serijski DB9 RS-232

Opis

Ovaj prilagodnik USB Tip-A na serijski tvrtke Delock pruža dva sučelja RS-232 DB9 za pisaae, mjerne instrumente, upravljaee, IoT uređaje, itd.



1,5 m

Predmet br. 63466

EAN: 4043619634668

Zemlja podrijetla: China

Pakiranje: Retail Box

Tehnički podaci

- Priključak:
 - 1 x USB 2.0 Tip-A muški >
 - 2 x serijska muška RS-232 DB9
- Skup čipova: FTDI FT232
- Brzina prijenosa podataka do 921,6 Kbps
- Podrška: UHCI / OHCI / EHCI
- Serijski priključak sa vijkom
- Podrška daljinsko upravljanje aktiviranjem i napajanjem
- Duljina kabela zajedno s priključkom: oko 1,5 m


Preduvjeti sustava

- Windows 7/7-64/8.1/8.1-64/10/10-64/11, Linux ex Kernel 2.6.x, Mac ex OS 10.9
- Osobno ili prijenosno računalo sa slobodnim USB Tipa-A priključkom

Sadržaj pakiranja

- USB 2.0 na 2 x serijski adapter
- CD s upravljačkim programom
- Korisnički priručnik

Slike



General

Funkcija:	Plug & Play Remote Wake-Up
Tehnički podaci:	RS-232 (EIA / TIA) USB 2.0
Supported operating system:	Linux Kernel 2.6 ili noviji Mac OS 10.9 ili noviji Windows 10 32-bit Windows 10 64-bit Windows 7 32-Bit Windows 7 64-Bit Windows 8 32-bit Windows 8 64-bit Windows 8.1 32-Bit Windows 8.1 64-Bit
LED indikator:	power and activity

Interface

Priključak 1:	1 x USB 2.0 Tipa-A muški
Priključak 2:	2 x serijska muška RS-232 DB9

Technical characteristics

Skup čipova:	FTDI FT232RL
Brzina prijenosa podataka:	1 Mbps
FIFO:	2 x 256 Byte receive 2 x 128 byte transmit
Data transmission:	asynchronous full duplex

Physical characteristics

Connector color:	žuta zeleno
Materijal kućišta:	Plastika

Cable type:	USB AWM Style 2725
Boja kabela:	crne
Cable length incl. connector:	1,5 m
Conductor gauge:	AWG 26 podatkovni vod AWG 24 vod napajanja
Vrsta vijka:	#4-40 UNC