

Delock DisplayPort Adapter for a USB Type-C™ monitor 4K 60 Hz

Description

This adapter by Delock is suitable for the connection of a USB-C™ monitor to a computer with DisplayPort interface. The adapter must be connected to the computer with an existing DisplayPort cable. The signals are transmitted via DisplayPort Alternate Mode.



20 cm

Item no. 63928

EAN: 4043619639281

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - 1 x DisplayPort 20 pin female >
 - 1 x USB Type-C™ male
- Chipset: Cypress
- DisplayPort 1.2 specification
- Signal direction: DisplayPort input > USB Type-C™ output
- Resolution up to 3840 x 2160 @ 60 Hz (depending on the system and the connected hardware)
- Transmission of audio and video signals
- Supports 3D displays
- Plug & Play
- Connectors: gold-plated
- 1 x ferrite core
- Cable length without connectors: ca. 20 cm
- Colour: black

System requirements

- Windows 8.1/8.1-64/10/10-64/11, ex Linux Kernel 4.3.3
- USB Type-C™ monitor
- PC or laptop with a free DisplayPort port
- One DisplayPort cable

Package content

- DisplayPort to USB-C™ adapter

Images



General

Function:	Plug & Play
Specification:	DisplayPort 1.2
Supported operating system:	Linux Kernel 4.3.3 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows 11

Interface

Output:	1 x USB Type-C™ male
Input:	1 x DisplayPort female

Technical characteristics

Chipset:	Cypress
Maximum screen resolution:	3840 x 2160 @ 60 Hz
Signal transmission:	video audio

Physical characteristics

Ferrite core:	1 x
Cable length:	20 cm
Connector finishing:	gold-plated
Colour:	black