

# Delock USB 3.0 Dual Docking Station for 2 x SATA HDD / SSD with Clone and Erase Function in Metal Housing

## Description

This HDD / SSD Docking Station in metal frame by Delock enables an external connection of two 2.5" or 3.5" SATA HDDs / SSDs through the USB interface. This solution does not require an external enclosure since the HDD / SSD will be plugged into the docking station directly. Furthermore, the clone function enables to copy the content of one HDD to another without using a PC. By the help of the erase function, the data of the inserted memory can be deleted with 3 different modes.



**Item no. 63992**

EAN: 4043619639922

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - 2 x SATA 6 Gb/s 22 pin receptacle
  - 1 x USB 3.0 Type-B female
  - 1 x DC jack
- Chipset: JMicron JMS561U
- Function key:
  - 1 x clone / erase button
  - 1 x On / Off switch
- For 2.5" and 3.5" SATA HDD / SSD
- Suitable for all SATA HDDs / SSDs up to SATA 6 Gb/s
- Data transfer rate up to:
  - SuperSpeed 5 Gb/s,
  - Hi-Speed 480 Mb/s,
  - Full-Speed 12 Mb/s,
  - Low-Speed 1.5 Mb/s
- 2 x eject button
- LED indicator for power, access, copy and erase status

- Dimensions (LxWxH): ca. 151 x 109 x 59 mm
  - Plug & Play
- 

## Power supply specification

- Wall power supply
  - Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 1 A
  - Output: 12 V / 3 A
  - Ground outside, plus inside
  - Dimensions:
    - inside:  $\varnothing$  ca. 2.1 mm
    - outside:  $\varnothing$  ca. 5.5 mm
    - length: ca. 12.0 mm
- 

## System requirements

- Chrome OS
  - Linux Kernel 4.9.4 or above
  - Mac OS 10.13.6 or above
  - Windows 7/7-64/8.1/8.1-64/10/10-64
  - PC or laptop with a free USB Type-A port
- 

## Package content

- Dual Docking Station
- 1 x cable USB 3.0 A male to USB 3.0 B male, length ca. 1 m
- External power supply
- User manual

## Images



## General

Function:	Plug & Play Clone Function Erase function
Suitable for data medium:	2.5" 3.5" SSD or HDD
Supported operating system:	Chrome OS Linux Kernel 4.9.4 or above Mac OS 10.13.6 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit

## Interface

External:	1 x DC 12 V power connector 1 x USB 5 Gbps Type-B female
Internal:	2 x SATA 22 Pin Buchse

## Technical characteristics

Chipset:	Prolific PL2773
----------	-----------------

## Physical characteristics

Housing material:	metal
Length:	151 mm
Width:	109 mm
Height:	59 mm
Colour:	black