

Delock M.2 Docking Station for M.2 NVMe PCIe SSD with USB Type-C[™] female

Description

This M.2 docking station by Delock enables the installation of an**M.2 PCIe NVMe SSD** and it can be connected via USB to the PC or laptop. The included USB cables allow the connection to a free USB Type-A or USB-CTM port.

Ideal test equipment

The memory is **simply plugged** into the **robust metal housing** and can be used immediately. No screws, tools or accessories are required, which means that the SSD can be changed quickly.

Note

There is no support for SATA M.2 SSD.



- Connectors:
 - 1 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) USB Type-C™ female
 - 1 x 67 pin M.2 key M slot
- Chipset: Asmedia ASM2362
- Supports M.2 modules with key M or key B+M based on PCIe (NVMe)
- Supports NVM Express (NVMe)
- Bootable
- Data transfer rate up to 10 Gbps
- LED indicator for power and access
- 1 x On / Off switch
- Metal housing
- Dimensions (LxWxH): ca. 49 x 49 x 12 mm
- Hot Plug, Plug & Play

System requirements

Chrome OS 78.0 or above



Item no. 64000

EAN: 4043619640003 Country of origin: China Package: Retail Box





- Linux Kernel 4.3 or above
- Mac OS 10.15.2 or above
- Windows 8.1/8.1-64/10/10-64/11
- PC or laptop with a free USB Type-C[™] port or
- PC or laptop with a free USB Type-A port

Package content

- M.2 docking station
- Cable USB-C[™] male to USB-C[™] male, length ca. 30 cm
- Cable USB-C[™] male to USB Type-A male, length ca. 30 cm
- User manual

Images





General

Function:	Plug & Play bootable
Supported operating system:	Chrome OS 78.0 or above Linux Kernel 4.3 or above Mac OS 10.15.2 or above Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows 11
LED indicator:	1 x

Interface

Connector 1:	1 x USB 10 Gbps USB Type-C [™] female
Connector 2:	1 x 67 pin M.2 key M slot

Technical characteristics

Chipset:	Asmedia ASM2362
Data transfer rate:	10 Gbps

Physical characteristics

Length:	49 mm
Width:	49 mm
Height:	12 mm
Colour:	silver