

Delock USB Type-C™ Adapter to mini DisplayPort (DP Alt Mode) 4K 60 Hz – compact design

Description

This adapter by Delock is suitable for the connection of a **DisplayPort monitor** to a computer with **USB-C™ interface and DisplayPort alternate mode** support. Thus, the adapter can be connected to different laptops like MacBook, Chromebook and similar. In addition, the adapter can also be operated on a Thunderbolt™ 3 interface.

Small sturdy helper

Due to its **small dimensions and its stable metal housing**, this Delock adapter is especially suitable for travelling. Thanks to its small size, the USB adapter fits in every trouser pocket or can be packed together with the laptop or tablet in the bag and used as needed.



Item no. 64121

EAN: 4043619641215

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - 1 x SuperSpeed USB (USB 3.2 Gen 1) USB Type-C™ male
 - 1 x mini DisplayPort female
- Chipset: Chrontel CH7213C
- DisplayPort 1.2 specification
- Signal direction: USB Type-C™ input > DisplayPort output
- Resolution up to 3840 x 2160 @ 60 Hz
(depending on the system and the connected hardware)
- Transmission of audio and video signals
- Supports HDR
- Supports HDCP 1.4 and 2.2
- USB bus powered
- Plug & Play
- Dimensions (LxWxH): ca. 46 x 16 x 8 mm
- Colour: grey

System requirements

- Chrome OS 83.0 or above
- Linux Kernel 5.4 or above
- Mac OS 10.15.6 or above
- Windows 8.1/8.1-64/10/10-64
- iPad Pro (3rd Generation) or above
- PC or mobile devices with a free USB Type-C™ or Thunderbolt™ 3 port

Package content

- USB-C™ to mini DisplayPort adapter

Images



General

| | |
|-----------------------------|---|
| Function: | Plug & Play HDR / HDR10 |
| Specification: | DisplayPort 1.2 |
| Supported operating system: | Chrome OS 83.0 or above Linux Kernel 5.4 or above Mac OS 10.15.6 or above Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit |

Interface

| | |
|---------|------------------------------------|
| Output: | 1 x mini DisplayPort 20 pin female |
| Input: | 1 x USB Type-C™ male |

Technical characteristics

| | |
|----------------------------|---------------------|
| Chipset: | Chrontel CH7213C |
| Maximum screen resolution: | 4096 x 2160 @ 60 Hz |
| Signal transmission: | video audio |

Physical characteristics

| | |
|---------|-------|
| Length: | 46 mm |
| Width: | 16 mm |
| Height: | 8 mm |
| Colour: | grey |