

# Delock M.2 Key M to U.2 SFF-8639 NVMe Adapter angled with 20 cm cable

## Description

This adapter by Delock can be used to connect a **U.2 SSD directly to an M.2 slot** in format 2280 e.g. on a motherboard.



**Item no. 64135**

EAN: 4043619641352

Country of origin: China

Package: Box

## Technical details

- Connectors:
  - 1 x 67 pin M.2 key M male >
  - 1 x U.2 SFF-8639 female
  - 1 x 4 pin power connector
- Interface: PCIe / NVMe
- Form factor: M.2 2280
- Cable gauge: 30 AWG
- Compatible to PCI Express V3.0
- Bootable, ex UEFI version 2.3.1
- Supports NVM Express (NVMe)
- Length without connectors: ca. 20 cm

## System requirements

- Linux Kernel 5.4 or above
- Windows 8.1/8.1-64/10/10-64
- Windows Server 2016

- A free M.2 interface with key M


---

## Package content

- Adapter
- Screwdriver
- Mounting material
- Power cable 4 pin to SATA, length ca. 15 cm
- User manual

---

## Images



## General

Function:	Bootable, ex UEFI 2.3.1 NVM Express (NVMe)
-----------	---

## Interface

Connector 1:	1 x 67 pin M.2 Key M male
Connector 2:	1 x U.2 SFF-8639 female
connector 3:	1 x 4 pin power connector

## Physical characteristics

Cable length:	20 cm (without connector)
---------------	---------------------------