


# Delock Riser Card M.2 Key M Extension NVMe with 20 cm cable

## Description

This riser card by Delock can be used to attach and connect an M.2 SSD to an optimal position in the case. The **flexible cable** allows a space-saving installation inside the computer case.



**Item no. 64136**

EAN: 4043619641369

Country of origin: China

Package: Box

## Technical details

- Connectors:
  - 1 x 67 pin M.2 Key M male
  - 1 x 67 pin M.2 key M slot
- Interface: PCIe / NVMe
- Form factor: M.2 2280
- Cable gauge: 30 AWG
- Supports M.2 modules in format 2280, 2260, 2242 and 2230 with key M or key B+M based on PCIe
- Maximum height of the components on the module: 1.5 mm, application of double-sided assembled modules supported
- LED indicator
- Compatible to PCI Express V4.0
- Bootable, ex UEFI version 2.3.1
- Supports NVM Express (NVMe)
- Length without connectors: ca. 20 cm

## System requirements

- Linux Kernel 5.4 or above
- Windows 8.1/8.1-64/10/10-64/11
- Windows Server 2016
- A free M.2 interface with key M

---

## Package content

- Adapter
- Screwdriver
- Mounting material
- User manual

---

## Images



## General

Function:	Bootable, ex UEFI 2.3.1 NVM Express (NVMe)
Supported module:	M.2 modules in format 2280, 2260, 2242 and 2230 with key M or key B+M based on PCIe

## Interface

Connector 1:	1 x 67 pin M.2 Key M male
Connector 2:	1 x 67 pin M.2 key M slot

## Physical characteristics

Cable length:	20 cm (without connector)
---------------	---------------------------