

Delock 3.5" USB 5 Gbps Front Panel 2 x USB Type-C™ + 2 x USB Type-A

Description

This hub by Delock can be installed into a 3.5" bay of the PC. It will be connected internally via a USB pin header male on the motherboard. It has two USB Type-A and two USB Type-C™ ports.



Item no. 64155

EAN: 4043619641550

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - external:
 - 2 x USB 5 Gbps USB Type-C™ female
 - 2 x USB 5 Gbps Type-A female
 - internal:
 - 1 x 19 pin USB 5 Gbps pin header female port on the cable
 - 1 x 4 pin power connector
- Chipset: VIA VL822
- Data transfer rate up to 5 Gbps
- Cable data:
 - 1 x 19 pin USB pin header female cable, length ca. 54 cm (without connectors)
 - 1 x power cable 4 pin female to 1 x SATA 15 pin plug, length ca. 17 cm (without connectors)
- 3.5" metal frame
- Colour: black
- Hot Swap, Plug & Play

System requirements

- Linux Kernel 3.3 or above
- Windows 8.1/8.1-64/10/10-64/11
- PC with one free 3.5" bay
- Motherboard with a free 19 pin USB pin header male
- Power supply with SATA 15 pin receptacle

Package content

- 3.5" Hub
- USB cable
- Power cable
- Screws
- User manual

Images



General

| | |
|-----------------------------|--|
| Form factor: | 3.5" |
| Function: | Hot Swap Plug & Play |
| Supported operating system: | Linux Kernel 3.3 or above Windows 10 64-Bit Windows 8.1 64-Bit Windows 11 |

Interface

| | |
|-----------|--|
| External: | 2 x USB 5 Gbps USB Type-C™ female 2 x USB 5 Gbps Type-A female |
| Internal: | 1 x 4 pin power connector 1 x 19 pin USB 5 Gbps pin header female port on the cable |

Technical characteristics

| | |
|---------------------|-----------|
| Chipset: | VIA VL822 |
| Data transfer rate: | 5 Gbps |

Physical characteristics

| | |
|-------------------|--------|
| Housing material: | metal |
| Length: | 102 mm |
| Width: | 95 mm |
| Height: | 26 mm |
| Colour: | black |