

Delock M12 Serial Connection Cable with FTDI chipset, USB 2.0 Type-A male to M12 RS-232 male A-coded 8 pin 1.8 m black

Description

This **serial USB 2.0 to M12 RS-232 cable** by Delock can be used for the **industrial application** e.g. for **sensors** and **automation modules**.



1,8 m

Item no. 64257

EAN: 4043619642571

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x USB 2.0 Type-A male
 - 1 x M12 RS-232 male A-coded 8 pin
- Chipset: FTDI FT231 X
- Signals: NC(1), NC(2), GND(3), NC(4), TXD(5), RXD(6), NC(7), NC(8)
- Cable gauge: 24 AWG
- Cable diameter: ca. 5.0 mm
- Cable jacket material: PVC
- Colour: black
- Cable length: ca. 1.8 m

System requirements

- Linux Kernel 5.8 or above
- Mac OS 10.15.7 or above
- Windows 8.1/8.1-64/10/10-64/11

- PC or laptop with a free USB Type-A port
- A free M12 RS-232 port

Package content

- Serial cable

Images



Interface

Connector 1:	1 x USB 2.0 Type-A male
Connector 2:	1 x M12 RS-232 male A-coded 8 pin

Physical characteristics

Cable length:	1.8 m
Conductor gauge:	24 AWG
Material:	PVC
Colour:	black
Cable diameter:	5 mm