

Delock Adapter mini DisplayPort male to DisplayPort female 8K white

Description

This adapter by Delock enables, by means of an optional DisplayPort cable, the connection between a DisplayPort monitor and a system with a mini DisplayPort interface.



15 cm

Item no. 65427

EAN: 4043619654277

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x mini DisplayPort male
 - 1 x DisplayPort female
- Input = mini DisplayPort; Output = DisplayPort
- DisplayPort 1.4 specification
- Cable gauge: 32 AWG
- Cable diameter: ca. 5 mm
- Net shielding
- Gold-plated connector
- Transmission of audio and video signals
- Data transfer rate up to 40 Gbps
- Resolution up to 7680 x 4320 @ 30 Hz (depending on the system and the connected hardware)
- Colour: white
- Cable length without connectors: ca. 15 cm

System requirements

- A free mini DisplayPort female port
-

Package content

- Adapter mini DisplayPort to DisplayPort

General

Specification:	DisplayPort 1.4
----------------	-----------------

Interface

Output:	1 x DisplayPort female
Input:	1 x mini DisplayPort 20 pin male

Technical characteristics

Data transfer rate:	40 Gbps
Maximum screen resolution:	7680 x 4320 @ 30 Hz

Physical characteristics

Ferrite core:	1 x
Cable length:	15 cm
Pin finishing:	gold-plated
Conductor gauge:	32 AWG
Colour:	white