

# Delock Adapter USB Type-C™ male to 2.5 Gigabit LAN

#### Description

The adapter by Delock expands a PC or laptop by one network interface via the USB Type-C<sup>TM</sup> interface. In addition, the adapter can also be operated on a Thunderbolt<sup>TM</sup> 3 interface.

#### **NBASE-T** for higher speed

Modern services and new technologies require higher bandwidths. NBASE-T technology enables speeds of 1 Gbps and 2.5 Gbps with conventional networking cables. The best possible transmission rate is set automatically.



#### Item no. 65990

EAN: 4043619659906 Country of origin: China Package: Retail Box

#### **Technical details**

- Connectors:
  - 1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-C™ male >
  - 1 x 2.5 Gigabit LAN RJ45 jack
- Chipset: Realtek RTL8156
- SuperSpeed USB 5 Gbps specification
- · Data transfer rate:

Fast Ethernet up to 100 Mbps (Half/Full Duplex)

Gigabit Ethernet up to 1000 Mbps (Half/Full Duplex)

NBASE-T with up to 2.5 Gbps (Half/Full Duplex)

• Compatible with:

IEEE 802.3u: 100BASE-TX IEEE 802.3ab: 1000BASE-T IEEE 802.3bz: 2.5GBASE-T

- Supports Auto MDI-X (automatic detection of standard or crossover network cable)
- Supports IEEE 802.1Q Virtual LAN (VLAN)
- Support full duplex operation with IEEE 802.3x flow control and half duplex operation with back-pressure flow control
- Supports 9k Jumbo Frames
- LED indicator for power and activity
- USB bus powered

#### **DATASHEET**



- · Robust metal housing
- · Colour: black
- Dimensions (LxWxH): ca. 67.0 x 39.2 x 21.3 mm
- Cable length without connectors: ca. 13.5 cm

### **System requirements**

- Linux Kernel 3.2 or above
- Mac OS 10.7 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- Device with a free USB Type-C™ port or with a free Thunderbolt™ 3 port

### **Package content**

- USB Type-C™ 2.5 Gigabit LAN adapter
- User manual

### **Images**







#### General

Supported operating system:	Linux Kernel 3.2 or above Mac OS 10.7 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit
LED indicator:	power and activity

### Interface

Connector 1:	1 x USB 5 Gbps USB Type-C™ male
Connector 2:	1 x Gigabit LAN RJ45 jack

### **Technical characteristics**

Chipset:	Realtek RTL8156
Data transfer rate:	Fast Ethernet up to 100 Mbps Gigabit Ethernet up to 1 Gbps Gigabit Ethernet up to 2.5 Gbps

## **Physical characteristics**

Housing material:	metal
Cable length:	13.5 cm
Length:	67.0 mm
Width:	39.2 mm
Height:	21.3 mm
Colour:	black