


Delock Bloc terminal cu buton pt. PCB 6 pini 5,08 mm orizontală, 4 buc

Descriere scurta

Acest bloc terminal de la Delock este potrivit pentru montarea unui lipitor pe o PCB. Mai mult, datele sau cablurile de alimentare pot fi conectate prin intermediul blocului de conexiuni.



4 x

Nr. 66276

EAN: 4043619662760

Țara de origine: China

Pachet: Pungă din plastic
cu închidere tip fermoar


Detalii tehnice

- Conectori:
 - 1 x bloc de conexiuni cu 6 pini cu buton
 - 2 x 6 conectori de lipire
- Distanța pas: 5,08 mm
- Temperatura mediului: -40 °C ~ 105 °C
- Utilizabil pentru un cablu de la 22 la 16 AWG
- Rezistența la tensiune: AC 1600 V / 1 minut
- Tensiune nominală în funcție de: UL: 300 V, IEC: 250 V
- Curent nominal conform: UL: 10 A, IEC: 15 A
- Material: plastic
- Culoare: verde / portocaliu
- Dimensiunii (LxIxÎ): aprox. 33,0 x 14,0 x 10,2 mm

Pachetul contine

- 4 x Bloc de conexiuni

Imagini



General

Suitable for conductor gauge:	22 - 16 AWG
-------------------------------	-------------

Interface

Conector 1:	1 x bloc de conexiuni cu 6 pini cu buton
Conector 2:	2 x 6 conectori de lipire

Technical characteristics

Storage temperature:	-40 °C ~ 105 °C
----------------------	-----------------

Physical characteristics

Pitch distance:	5,08 mm
Material carcasă:	Plastic
Lungime:	33,0 mm
Width:	14,0 mm
Height:	10,2 mm
Colour:	verde / portocaliu