

# Delock Adaptor USB 2.0 Tip-A la 1 x Serial RS-485 DB9

## Descriere scurta

Acest adaptor USB 2.0 Tip-A la serie de la Delock oferă un port RS-485 pentru contoare, sisteme POS, imprimante, modemuri, dispozitive IoT etc.



**Nr. 66280**

EAN: 4043619662807

Țara de origine: China

Pachet: Retail Box

## Detalii tehnice

- Conectori:
  - 1 x USB 2.0 Tip-A tată >
  - 1 x RS-485 seriale DB9 tată, cu șuruburi
- Chipset: FTDI FT232
- Rată de transfer a datelor de până la 921,6 Kbps
- Semnale: T/R (A+), T/R (B-) și GND
- Paritate: egală, impară, niciuna, marcă, spațiu
- Biți de stop: 1, 2
- Biți de date: 7, 8
- Controlul debitului: niciunul, Xon/Xoff, RTS/CTS
- FIFO: 128 Octeți - RX
- FIFO: 256 octeți - TX
- Lungime cablu, inclusiv coneciores: cca 80 cm

## Cerinte de sistem


- Linux Kernel 2.6 sau superior
- Mac OS 10.9 sau superior
- Windows 7/7-64/8.1/8.1-64/10/10-64/11

- PC sau laptop cu un port USB Tip-A liber

## Pachetul contine

- USB 2.0 la 1 x seriale RS-485 adaptoare
- Cablu de extensie USB 2.0
- CD cu drivere
- Manual de utilizare

## Imagini



## General

Function:	Plug & Play
Specification:	RS-485 USB 2.0
Supported operating system:	Linux Kernel 2.6 sau superior Mac OS 10.9 sau superior Windows 10 32-bit Windows 10 64-bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows Server 2012 R2 Windows Server 2016

## Interface

Conector 1:	1 x USB 2.0 Tip-A tată
Conector 2:	1 x Serial RS-485 DB9 male

## Technical characteristics

Chipset:	FTDI 232R
Data transfer rate:	up to 921.6 Kbps
FIFO:	128 byte 256 Byte
Data transmission:	asynchronous Bi-directional Semi duplex differential
UART:	USB to serial UART

## Physical characteristics

Cable type:	UL AWM 2725 80 °C 30V VW-1
Cable colour:	negru

Cable length incl. connector:	80 cm
Pin finishing:	placat cu aur
Shielding:	double
Colour:	albastru negru