

# Delock Multifunctional Dual Capsule USB Microphone with 3.5 mm Stereo Headphone Jack and Volume Control + Quick-Mute Funktion

## Description

This multifunctional USB condenser microphone by Delock can be used for high-quality voice and vocal recording, making it suitable for **streaming, podcasting, gaming and video meetings**.

### Optimal recordings & polar pattern switch

The microphone has a dual capsule condenser and therefore has a **cardioid polar pattern (unidirectional) and also a circular polar pattern (omnidirectional)**. The directivity can be adjusted by a switch on the back of the microphone. Therefore, the microphone always captures the sound ideally. Due to a high performance, low self-noise and precise reproduction, even the finest sounds are recorded crystal clear.

### Headphone output

The microphone has a **3.5 mm stereo jack** for connecting headphones or speakers. The audio output provides a bit depth of **16 bit** at a **sampling rate of 48 kHz** and can therefore record and play back audio signals in **DVD quality**.

### Stepless volume control & quick-mute function

The microphone boost as well as the volume of the headphone output can be adjusted individually on the two volume controls. By pressing the volume control for the microphone gain, the microphone can be muted immediately.

### Plug & Play

Due to USB Plug & Play the microphone is ready to use immediately, no driver installation is needed. The microphone works with all common operating systems such as Windows, Mac OS, Chrome OS and Linux.

### Stable stand

The metal base provides a stable stand and the rubber provides a



**Item no. 66822**

EAN: 4043619668229

Country of origin: China

Package: Retail Box

non-slip grip for recording.

---

## Technical details

- Connectors:
    - 1 x USB Type-C™ 2.0 female
    - 1 x 3.5 mm 3 pin stereo jack female
  - Cable:
    - 1 x USB Type-C™ 2.0 male >
    - 1 x USB 2.0 Type-A male
  - Directivity: unidirectional / omnidirectional
  - Sensitivity: -35 dB +/- 3 dB
  - Frequency range: 20 Hz - 20 kHz
  - Sampling rates:
    - recording up to 16 Bit / 48 kHz
    - playback up to 16 Bit / 48 kHz
  - Signal-to-noise ratio (SNR): ca. 70 dB
  - Sound pressure level (SPL): max. 110 dB
  - Volume control microphone (loud / quiet / mute)
  - Volume control headphone output (loud / quiet)
  - Polar pattern switch
  - Power LED
  - Cable length: ca. 1 m
  - Housing material: metal
  - Colour: black
  - Weight: ca. 43 g
  - Dimensions (LxWxH): ca. 170 x 70 x 80 mm
  - USB bus powered
  - Plug & Play
- 

## System requirements

- Chrome OS
  - Linux Kernel 4.4 or above
  - Mac OS 10.9 or above
  - Windows 8.1/8.1-64/10/10-64
  - PC or laptop with a free USB Type-A port
- 

## Package content

- USB microphone
- Cable USB Type-C™ male to USB Type-A male
- User manual

## Images



## General

Function:	Plug & Play
Specification:	USB 2.0
Supported operating system:	Chrome OS Linux Kernel 4.4 or above Mac OS 10.9 or above Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit

## Interface

connector:	1 x USB 2.0 Type-A male 1 x USB 2.0 Type-C™ male
Input:	1 x USB 2.0 Type-C™ female

## Technical characteristics

Frequency range:	20 Hz - 20 kHz
Voltage:	USB bus powered
Sensibility:	-35 dB +/- 3 dB
Sample rate:	16 Bit / 48 kHz
Signal noise ratio (SNR):	ca. 70 dB
Directivity:	omnidirectional uni-directional

## Physical characteristics

Cable length:	1 m
Colour:	black