


Delock M12 Cable D-coded 4 pin female to RJ45 jack for installation Cat.5e FTP 2 m black

Description

This industrial Ethernet cable by Delock can be used to connect various components with M12 connectors, e.g. for machine control or automation.

With RJ45 panel-mount jack

The RJ45 connector can be attached with two screws, e.g. on a slot bracket or a chassis with the corresponding recess. In this way, it is possible to install the RJ45 connector in an easily accessible position.



Item no. 80453

EAN: 4043619804535

Country of origin: Taiwan,
Republic of China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x M12 female D-coded 4 pin
 - 1 x RJ45 jack for installation
- Pitch of screw hole: ca. 27 mm
- Cat.5e specification
- Shielded (FTP)
- Cable gauge: 26 AWG
- Cable diameter: ca. 6.8 mm
- Cable jacket material: PVC
- Flammability class: 94V-0
- Operating temperature: -20 °C ~ 85 °C
- Protection class: IP67
- Colour: black
- Length incl. connectors: ca. 2 m

Package content

- M12 cable

Images



General

| | |
|----------------------|---------|
| Specification: | Cat. 5e |
| Protection category: | IP67 |

Interface

| | |
|--------------|--------------------------------|
| Connector 1: | 1 x M12 female D-coded 4 pin |
| Connector 2: | 1 x RJ45 jack for installation |

Technical characteristics

| | |
|------------------------|----------------|
| Operating temperature: | -20 °C ~ 85 °C |
|------------------------|----------------|

Physical characteristics

| | |
|------------------|--------|
| Conductor gauge: | 26 AWG |
| Material: | PVC |
| Shielding: | FTP |
| Length: | 2 m |
| Colour: | black |
| Cable diameter: | 6.8 mm |