


# Delock M12 Cable X-coded 8 pin female to RJ45 jack for installation Cat.6A S/FTP 2 m black

## Description

This industrial Ethernet cable by Delock can be used to connect various components with M12 connectors, e.g. for machine control or automation.

### With RJ45 panel-mount jack

The RJ45 connector can be attached with two screws, e.g. on a slot bracket or a chassis with the corresponding recess. In this way, it is possible to install the RJ45 connector in an easily accessible position.



**Item no. 80461**

EAN: 4043619804610

Country of origin: Taiwan,  
Republic of China

Package: Zip poly bag

## Technical details

- Connectors:
  - 1 x M12 female X-coded 8 pin
  - 1 x RJ45 jack for installation
- Pitch of screw hole: ca. 27 mm
- Cat.6A specification
- Shielded (S/FTP)
- Cable gauge: 26 AWG
- Cable diameter: ca. 6.8 mm
- Cable jacket material: PVC
- Flammability class: 94V-0
- Operating temperature: -20 °C ~ 85 °C
- Protection class: IP67
- Colour: black
- Length incl. connectors: ca. 2 m

## Package content

- M12 cable

---

## Images



## General

Specification:	Cat. 6A
Protection category:	IP67

## Interface

Connector 1:	1 x M12 female X-coded 8 pin
Connector 2:	1 x RJ45 jack for installation

## Technical characteristics

Operating temperature:	-20 °C ~ 85 °C
------------------------	----------------

## Physical characteristics

Conductor gauge:	26 AWG
Material:	PVC
Shielding:	S/FTP
Length:	2 m
Colour:	black
Cable diameter:	6.8 mm