**DELOCK®**
we move the world

# Delock Cable Mini SAS SFF-8087 > 4 x SATA 7 pin Reverse + Sideband 1 m

## Description

This reverse breakout cable by Delock can be used to connect internal SAS devices, e.g. an HDD backplane with Mini SAS connector to a controller with 4 SATA ports. The metal clips on the SATA connectors provide a snap-in connection.

## Note

• It is not possible to use SAS hard disks with a SATA controller.

• To connect a SAS controller with SFF-8087 to 4 SATA hard disks, you can use
  Delock item 83313 (forward breakout).

1 m

### Item no. 83319

EAN: 4043619833191

Country of origin: Taiwan, Republic of China

Package: Zip poly bag

## Technical details

- Connector:
  host:
  4 x SATA 7 pin >
  device:
  1 x Mini SAS SFF-8087 male
  1 x 8 pin sideband pin header female
- Pin assignment: reverse breakout
- Serial Attached SCSI (SAS) specification
- Length incl. connector: ca. 1 m

## System requirements

- A free Mini SAS or SATA interface

## Package content

- Mini SAS cable

## General

| | |
|---|---|
| Specification: | SAS |

## Interface

| | |
|---|---|
| Connector 1: | 1 x Mini SAS SFF-8087 male |
| Connector 2: | 1 x 8 pin sideband<br>4 x SATA 6 Gb/s 7 Pin |

## Technical characteristics

| | |
|---|---|
| Data transfer rate: | SAS up to 6 Gb/s |

## Physical characteristics

| | |
|---|---|
| Length: | 1 m |

© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

www.delock.com
83319

3 / 3
17.09.2021