

Delock Cable Twinax SFP+ male to SFP+ male 2 m

Description

This Twinax cable by Delock is used to connect devices to a switch with a SFP+ port or to connect two Ethernet switches.



2 m

Item no. 84204

EAN: 4043619842049

Country of origin: China

Package: Antistatic cover

Technical details

- Connectors:
2 x SFP+ male
- Passive, low power consumption
- Data transfer rate:
Gigabit Ethernet up to 1 Gbps
10 Gigabit Ethernet up to 10 Gbps
- Compatible with SFP+ MSA, SFF-8431, SFF-8432
- Operating temperature: 0 °C ~ 70 °C
- Cable gauge: 28 AWG
- Colour: black
- Cable diameter: ca. 5.0 mm
- Cable length: ca. 2 m

System requirements

- A free SFP+ interface

Package content

- Twinax Cable

Images



Interface

| | |
|--------------|---------------|
| Connector 1: | 1 x SFP+ male |
| Connector 2: | 1 x SFP+ male |

Technical characteristics

| | |
|------------------------|---|
| Data transfer rate: | Gigabit Ethernet up to 1 Gbps Gigabit Ethernet up to 10 Gbps |
| Operating temperature: | 0 °C ~ 70 °C |

Physical characteristics

| | |
|------------------|--------|
| Conductor gauge: | 28 AWG |
| Length: | 2 m |
| Colour: | black |