

Delock HDMI zu DVI 24+1 Kabel bidirektional 3 m

Description

This HDMI to DVI cable by Delock supports the data transfer in both directions. Thus it can be used to connect a DVI monitor or projector to the HDMI interface of a PC or laptop or to connect an HDMI monitor or projector to the DVI interface of a PC or laptop.



3 m

Item no. 84343

EAN: 4043619843435

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - 1 x HDMI-A male >
 - 1 x DVI 24+1 male
- High Speed HDMI specification
- DVI-D (Dual Link)
- DVI connector with screws
- Cable gauge: 28 AWG
- Cable diameter: ca. 7.3 mm
- Copper conductor
- Triple shielded cable
- Contacts gold-plated
- Connectors gold-plated with red metal housing
- Data transfer rate up to 7.92 Gbps
- Resolution up to 1920 x 1080 @ 60 Hz
(depending on the system and the connected hardware)
- 2 x ferrite core
- Colour: black / red
- Length incl. connectors: ca. 3 m

System requirements

- A free HDMI-A interface
- A free DVI interface

Package content

- HDMI to DVI cable

Images



Interface

| | |
|--------------|-------------------|
| Connector 1: | 1 x HDMI-A male |
| Connector 2: | 1 x DVI 24+1 male |

Technical characteristics

| | |
|----------------------------|---------------------|
| Data transfer rate: | 7.92 Gb/s |
| Maximum screen resolution: | 1920 x 1080 @ 60 Hz |

Physical characteristics

| | |
|------------------|-------------|
| Ferrite core: | 2 x |
| Pin finishing: | gold-plated |
| Conductor gauge: | 28 AWG |
| Length: | 3 m |
| Colour: | black / red |