


# Delock Cable SATA Express 18 pin plug + SATA Power > SATA Express 29 pin plug 30 cm

## Description

With this cable by Delock an SSD with SATA Express port can be connected to a free SATA Express port of the PC. SATA Express combines the technologies of SATA and PCI Express and allows the integration of an SSD with such a port via PCI Express into the system. The simultaneous usage of two PCI Express lanes allows higher data transfer rates than a connecting via SATA.



ca. 30 cm

**Item no. 84767**

EAN: 4043619847679

Country of origin: China

Package: Zip poly bag

## Technical details

- Connector:
  - 1 x SATA Express 18 pin (7+7+4 pin) plug + 1 x SATA 15 pin power connector >
  - 1 x SATA Express 29 pin (15+7+7 pin) plug
- Data transfer rate up to 1 GB/s (PCI Express rev. 2.0) resp. 2 GB/s (PCI Express rev. 3.0)
- Cable gauge: 26 AWG
- Supports AHCI and NVMe protocol
- Colour: red / grey
- Cable length without connector: ca. 30 cm

## System requirements

- PC with a free SATA Express port
- SSD with SATA Express port

## Package content

- SATA Express cable

## General

Specification:	SATA 6 Gb/s
----------------	-------------

## Interface

Connector 1:	SATA Express 18 Pin (7+7+4 Pin) plug
Connector 2:	SATA Express 29 pin (15+7+7 pin) plug

## Technical characteristics

Data transfer rate:	PCI Express rev. 3.0 up to 2 GB/s
Voltage:	5 V 12 V

## Physical characteristics

Conductor gauge:	26 AWG
Length:	30 cm