



# Delock Active USB 3.1 Gen 1 extension cable USB Type-C<sup>™</sup> 5 m

#### **Description**

This active USB cable by Delock can be used to extend a USB connection by 5 m. The cable has an additional DC power socket to which an optional power supply can be connected. This ensures optimum data transmission even when used with powerful devices such as a 2.5" hard drive.



#### Item no. 85392

EAN: 4043619853922 Country of origin: China Package: Retail Box

#### **Technical details**

- Connectors:
  - 1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-C™ male >
  - 1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-CTM female
  - 1 x DC jack
- Chipset: Genesys GL3523
- DC jack for optional power supply
- Status LED
- Cable gauge:

Data cable 28 AWG data line / 22 AWG power line

Power cable 24 AWG

- Resistor: 5.1 kΩ
- · Cable diameter:

data cable ca. 4.6 mm power cable ca. 2.8 mm

- Data transfer rate up to SuperSpeed USB 5 Gbps
- · Colour: black / grey
- Dimensions of housing (LxWxH): ca. 45.0 x 28.6 x 14.1 mm
- Cable length without connectors: ca. 5 m



## Specification of power connector

• Input: 5 V / 2 A

• Ground outside, plus inside

• Dimensions:

inside: ø ca. 1.35 mm outside: ø ca. 3.5 mm length: ca. 9.65 mm

## **System requirements**

- Mac OS 10.13.6 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-C™ port

## **Package content**

• USB 3.1 Gen 1 extension cable

## **Images**









#### General

Specification:	SuperSpeed USB (USB 3.2 Gen 1)
Supported operating system:	Mac OS 10.13.6 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit

#### Interface

Connector 1:	1 x USB 5 Gbps USB Type-C™ male
Connector 2:	1 x 5 V DC jack 1 x USB 5 Gbps USB Type-C™ female

## **Technical characteristics**

Chipset:	Genesys Logic GL3523
Data transfer rate:	5 Gbps
Resistor:	5.1 kΩ

## **Physical characteristics**

Housing material:	metal
Conductor gauge:	28 AWG data line 22 AWG power line
Length:	5 m
Colour:	grey / black