


Delock Cable SATA 6 Gb/s 7 pin receptacle + SATA 15 pin power plug > SATA 22 pin receptacle upwards angled metal 30 cm

Description

This cable by Delock enables the connection of a device with 22 pin SATA interface over a free SATA 7 pin port and a free 15 pin SATA power interface of the power supply. The metal clips on the SATA receptacles ensure that the cable reliably clicks into place.



30 cm

Item no. 85515

EAN: 4043619855155

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x SATA 6 Gb/s 7 pin receptacle +
 - 1 x SATA 15 pin power plug >
 - 1 x SATA 6 Gb/s 22 pin receptacle upwards angled
- Data transfer rate up to 6 Gb/s
- Downwards compatible to SATA 1.5 Gb/s and 3 Gb/s
- Version with 5 power wires (yellow = 12 V, black = GND, red = 5 V, orange = 3.3 V)
- Voltage: 3.3 V + 5 V + 12 V
- Cable gauge:
 - 26 AWG data line
 - 20 AWG power line
- With gold coloured metal clips
- Length incl. connectors: ca. 30 cm

System requirements

- A free SATA 7 pin interface
 - A free SATA 15 pin power receptacle on the power supply
-

Package content

- SATA cable
-

Images



General

Specification:	SATA 6 Gb/s
----------------	-------------

Interface

Connector 1:	1 x SATA 6 Gb/s 7 pin receptacle
Connector 2:	1 x SATA 15 pin plug
connector 3:	1 x SATA 6 Gb/s 22 pin receptacle

Technical characteristics

Data transfer rate:	6 Gb/s
Voltage:	3.3 V 5 V 12 V

Physical characteristics

Conductor gauge:	26 AWG data line 20 AWG power line
Length:	30 cm