

Delock Cable OCuLink PCIe SFF-8611 to U.2 SFF-8639 1 m

Description

This OCuLink cable by Delock can be used to connect internal devices, e.g. an SSD with SFF-8639 connector to a controller with OCuLink SFF-8611 connector.



1 m

Item no. 85756

EAN: 4043619857562

Country of origin: Taiwan,
Republic of China

Package: Zip poly bag

Technical details

- Connectors:
 - host:
 - 1 x OCuLink SFF-8611 male
 - device:
 - 1 x U.2 SFF-8639 female
 - 1 x SATA 15 pin power plug
- Compliant to SFF-9402 specification 1.1
- Supports PCI Express 3.0 protocol
- Data transfer rate up to 32 Gbps
- Impedance: 85 Ohm
- Cable gauge:
 - 33 AWG data line
 - 18 + 24 AWG power line
- Cable length incl. connectors:
 - data cable ca. 100 cm
 - power cable ca. 10 cm

System requirements

- A free OCuLink interface

Package content

- OCuLink cable

Interface

| | |
|--------------|---------------------------|
| Connector 1: | 1 x OcuLink SFF-8611 male |
| Connector 2: | 1 x U.2 SFF-8639 female |

Technical characteristics

| | |
|---------------------|---------------|
| Data transfer rate: | up to 32 Gbps |
|---------------------|---------------|

Physical characteristics

| | |
|------------------|--------|
| Conductor gauge: | 33 AWG |
| Length: | 1 m |