


Delock RJ45 Plug field assembly Cat.5e PROFINET

Description

This RJ45 plug by Delock can be used to connect PROFINET network cables. Installation of the plug to various cable types is tool-free and time-saving.



Note

The connector is only designed for 2 wire pairs and 100 Mbps.

Item no. 86017

EAN: 4043619860173

Country of origin: Taiwan,
Republic of China

Package: Zip poly bag

Technical details


- Connectors:
 - 1 x RJ45 (8P/4C) plug
 - 1 x LSA block
- Cable routing 180°
- Shielded (STP)
- Compliant with Cat.5e requirements of ISO/IEC 11801 Edition 2.2, EN 50173-1 and EN 60603-7-3
- Supports PoE++
- PROFINET pinout
- For solid or stranded wire up to 0.644 mm (22 - 26 AWG)
- For cable diameter from 6.0 - 8.5 mm
- Operating temperature: -40 °C ~ 68 °C
- Dimensions (LxWxH): ca. 48.7 x 16.4 x 13.9 mm

Package content

- RJ45 plug
- Dust cover
- Cable manager

- Installation manual

Images



General

Suitable for conductor gauge:	22 - 23 AWG
-------------------------------	-------------

Interface

External:	1 x RJ45 male
Internal:	1 x LSA block

Technical characteristics

Category:	Cat.5e
-----------	--------

Physical characteristics

Shielding:	shielded
Length:	48.7 mm
Width:	16.4 mm
Height:	13.9 mm