

Delock Keystone Module RJ45 jack Cat.8.1 toolfree

Description

This module by Delock can be used to connect twisted pair cable to an RJ45 jack. With its standardised dimensions it can be used for easy snap-in mounting in e.g. a Keystone patch panel, face plate or surface-mount box.



Item no. 86488

EAN: 4043619864881

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
external: 1 x RJ45 jack (8P/8C) >
internal: LSA (toolfree)
- Cat.8.1 specification
- GHMT certified: 2 Connector Channel Link ISO/IEC TR 11801-9901 Ed.1.0 (2014-08)
- Supports PoE / PoE+
- Shielded (STP)
- Material: zinc die cast
- For solid or stranded wire up to 0.644 mm (22 - 24 AWG)
- For cable diameter from 5.5 - 9.0 mm
- For Keystone ports with 19.2 x 14.9 mm
- Dimensions (LxWxH): ca. 41.6 x 16.5 x 22.5 mm


System requirements

- A free RJ45 plug

Package content

- Keystone module
- Cable manager
- Copper foil
- Zip-tie

Images



General

Suitable for conductor gauge:	22 - 24 AWG
Mounting type:	Keystone module

Interface

External:	1 x RJ45 jack
Internal:	1 x LSA block

Technical characteristics

Category:	Cat.8.1
-----------	---------

Physical characteristics

Housing material:	zinc die cast
Length:	41.6 mm
Width:	16.5 mm
Height:	22.5 mm