

Delock Optical Fiber Coupler SC Simplex female to SC Simplex female Single-mode metal

Description

With this SC Simplex coupling by Delock, optical fiber male connectors can be easily connected to each other. The coupling enables a direct connection to the optical fiber cable and is suitable for simple mounting in optical fiber connection boxes, cabinets and patch panels.

Protection by dust cover

The coupling is equipped with an appropriate cap to protect the sleeve from dust and to keep it clean.



Item no. 86872

EAN: 4043619868728

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x SC Simplex female >
 - 1 x SC Simplex female
- For single-mode fiber
- Ceramic sleeve
- With dust cover
- Mounting via metal holder or screws
- 2 x mounting holes
- Mounting hole diameter: 2.4 mm
- Pitch of screw hole: ca. 18 mm
- Panel cut-out (WxH): ca. 13.4 x 9.5 mm
- Operating temperature: -20 °C ~ 70 °C
- Material: metal
- Dimensions (LxWxH): ca. 27.4 x 12.7 x 9.3 mm


System requirements

- A free SC Simplex male port
-

Package content

- SC Simplex coupler
-

Images



Interface

Connector 1:	1 x SC Simplex female
Connector 2:	1 x SC Simplex female

Technical characteristics

Operating temperature:	-20 °C ~ 70 °C
------------------------	----------------

Physical characteristics

Material:	metal
Length:	27.4 mm
Width:	12.7 mm
Height:	9.3 mm