

# Delock DisplayPort Cable 4K 60 Hz with DC feed 2.1 x 5.5 mm 0.30 m panel-mount

## Description

This DisplayPort cable by Delock is designed to provide a DisplayPort female port. Via the additional DC connector, it is possible to feed in power. By using active adapters, a constant power supply can be guaranteed.

## Note

If power is supplied via the DC connector, the signal can only be transmitted in one direction. Without external power supply the cable can be used bidirectional.



30 cm

**Item no. 87039**

EAN: 4043619870394

Country of origin: China

Package: Zip poly bag

## Technical details

- Connectors:
  - 1 x DisplayPort female
  - 1 x DisplayPort female + 1 x 3.3 V DC jack 2.1 x 5.5 mm
- Resolution up to 3840 x 2160 @ 60 Hz (depending on the system and the connected hardware)
- Supports HDCP 2.2 (High-Bandwidth Digital Content Protection)
- Supports HDR
- Input voltage: 3.3 V
- Material: PC plastic
- Cable diameter: ca. 5.5 mm
- Mounting hole: ca. 21.5 x 12.5 mm, screw hole pitch ca. 28 mm
- Length incl. connectors (L): ca. 0.3 m
- Colour: black

## System requirements

- A free DisplayPort male port

---

## Package content

- DisplayPort cable

---

## Images



## Interface

Connector 1:	1 x DisplayPort female
Connector 2:	1 x DC 5.5 x 2.1 mm female 1 x DisplayPort female

## Technical characteristics

Maximum screen resolution:	3840 x 2160 @ 60 Hz
----------------------------	---------------------

## Physical characteristics

Length:	0.3 m
Colour:	black