

# Delock DisplayPort 1.2 cable female to female panel-mount 4K 60 Hz 1 m

## Description

This cable by Delock can be used to extend a DisplayPort connection and to connect various devices. The female port can be attached with two screws, e.g. to a slot bracket, a cable duct or an enclosure with the corresponding opening. In this way, it is possible to install a DisplayPort connector in an easily accessible position.



1 m

**Item no. 87100**

EAN: 4043619871001

Country of origin: China

Package: Box

## Technical details

- Connectors:
  - 1 x DisplayPort female >
  - 1 x DisplayPort female panel-mount
- DisplayPort 1.2 specification
- Pin 20 is connected (supports 3.3 V)
- Screw type: M3
- Screw distance: 27 mm
- Cable gauge: 28 AWG
- Cable diameter: ca. 7 mm
- Copper conductor
- Triple shielded cable
- Contacts gold-plated
- Transmission of audio and video signals
- Data transfer rate up to 21.6 Gbps
- Resolution up to 3840 x 2160 @ 60 Hz  
(depending on the system and the connected hardware)
- Supports HDR
- Supports HDCP 1.4 and 2.2
- Colour: black

- Length incl. connectors: ca. 1 m
- 

## System requirements

- A free DisplayPort interface
- 

## Package content

- DisplayPort panel-mount cable
  - 2 x screw
- 

## Images



## General

|                |  |
|----------------|--|
| Specification: | DisplayPort 1.2<br>HDCP 1.4<br>HDCP 2.2<br>HDR |
|----------------|--|

## Interface

|              |                        |
|--------------|------------------------|
| Connector 1: | 1 x DisplayPort male   |
| Connector 2: | 1 x DisplayPort female |

## Technical characteristics

|                            |                     |
|----------------------------|---------------------|
| Data transfer rate:        | 21,6 Gb/s           |
| Maximum screen resolution: | 3840 x 2160 @ 60 Hz |

## Physical characteristics

|                     |             |
|---------------------|-------------|
| Pin finishing:      | gold-plated |
| Conductor material: | copper      |
| Conductor gauge:    | 28 AWG      |
| Screw distance:     | 27 mm       |
| Screw type:         | M3          |
| Shielding:          | triple      |
| Length:             | 1 m         |
| Colour:             | black       |