

# Delock USB 2.0 la 4 x adaptoare seriale

## Descriere scurta

Adaptorul USB 2.0 de la Delock vă permite să conectați 4 dispozitive seriale la un port USB liber al calculatorului sau al laptopului.



**Nr. 87414**

EAN: 4043619874149

Țara de origine: China

Pachet: Retail Box

## Detalii tehnice

- Conectori:
  - 1 x USB 2.0 Tip-B mamă >
  - 4 x RS-232 seriale DB9 tată
- Chipset: ASIX
- Conector serial cu piulițe
- Rată de transfer a datelor de până la 921,6 Kbps
- Indicator cu LED
- Selectarea automată a adresei IRQ și a adresei I/O
- Partu UART-uri compatibile cu 16C450 / 16C550
- Acceptă FIFO 512 octeți pe port (transmisie/recepție)


## Cerinte de sistem

- Windows Server 2003
- Windows 2000/XP/Vista/Vista-64/7/7-64/8.1/8.1-64/10/10-64/11
- PC sau laptop cu un port USB Tip-A liber

## Pachetul contine

- USB 2.0 la 4 x seriale adaptoare
- Cablu USB 2.0
- CD cu drivere
- Manual de utilizare

## Imagini



## General

Function:	Plug & Play
Specification:	RS-232 (EIA / TIA) USB 1.1 USB 2.0
Supported operating system:	Windows 10 32-bit Windows 10 64-bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows 11
Indicator cu LED:	Power

## Interface

Conector 1:	1 x USB 2.0 Type-B
Conector 2:	1 x RS-232 seriale DB9, tată

## Technical characteristics

Chipset:	ASIX/Moschip MCS 7840
Data transfer rate:	4 x up to 921,6 Kbps
FIFO:	512 byte
Data transmission:	asynchronous full duplex
Current consumption:	50 mA
UART:	USB to serial UART

## Physical characteristics

Carcasa uoare:	argintiu
Material carcasă:	Plastic
Cable type:	USB AWM Style 2725

Cable colour:	negru
Cable length incl. connector:	1 m
Pin finishing:	placat cu aur
Conductor gauge:	28 AWG data line 24 AWG power line
Tipul șurubului:	#4-40 UNC
Lungime:	95 mm
Width:	60 mm
Height:	20 mm