

# Delock Switch VGA 2 port manual bidirectional

## Description

This manual bidirectional 2 port VGA switch by Delock can be used to connect devices with VGA ports. The switch provides two different applications.

1. Two devices with VGA connection, e.g. monitors or projectors, can be used at a VGA connection of a computer.
2. One device with a VGA port, e.g. monitor or projector, can be used at two computers with VGA connection.



**Item no. 87758**

EAN: 4043619877584

Country of origin: China

Package: Retail Box

## Technical details

- Connectors: 3 x VGA female
- 2 mechanical buttons
- Resolution up to 1920 x 1080 @ 60 Hz (depending on the system and the connected hardware)
- Plastic housing
- Wallmount option
- No external power supply needed
- Dimensions (LxWxH): ca. 112 x 71 x 32 mm (without button)
- Colour: silver / black

## System requirements


- PC or laptop with a free VGA port
- VGA connection cables

## Package content

- Switch

- User manual

## Images



### General

Mounting type:	Wall mounting
Specification:	VGA
Supported operating system:	OS independent, no driver installation necessary
Style:	Tischgerät
Switchover:	4 x switch button for device 1, 2, 3, 4

### Interface

connector:	2 x VGA 15 Pin female
------------	-----------------------

### Technical characteristics

Maximum screen resolution:	1920 x 1080 @ 60 Hz
----------------------------	---------------------

### Physical characteristics

Housing material:	Plastic
Length:	180.5 mm
Width:	89 mm
Height:	50 mm