

# Delock Industrial Gigabit Ethernet Switch 8 Port RJ45 2 Port SFP for DIN rail

## Description

This robust, industry capable Gigabit Ethernet switch by Delock can be used to connect different network components.

Two SFP uplink ports with 1 Gbps offer flexible connection options.

### Redundant power supply with 9 V to 48 V

The switch accepts two terminal power sources, allowing it to be permanently connected to multiple power sources, enabling applications that require high availability.



**Item no. 88016**

EAN: 4043619880164

Country of origin: China

Package: White Box

## Technical details

- Connectors:
  - 8 x RJ45 jack for 10/100/1000 Mbps Base-T
  - 2 x SFP slot for 1 Gbps SFP module
  - 1 x 5 pin terminal power connector
- Data transfer rate up to 1 Gbps
- Supports IEEE 802.3 / 802.3u / 802.3z / 802.3ab
- VLAN port Isolation
- LEDs for status monitoring
- Redundant power supply with 9 V to 48 V
- Power consumption: max. 6 W
- Robust metal housing
- Fanless
- Suitable for 35 mm DIN rail
- Protection class: IP40
- Operating temperature: -40 °C ~ 85 °C
- Dimensions (LxWxH): ca. 142 x 116 x 48 mm

## System requirements

- Power supply with DC 9 V - 48 V (not included)
- 

## Package content

- Switch
  - User manual
- 

## Images



### General

Mounting type:	DIN rail 35 mm
----------------	----------------

### Interface

Connector 1:	8 x RJ45 jack
Connector 2:	2 x SFP slot
connector 3:	1 x 5 pin terminal block

### Technical characteristics

Data transfer rate:	Gigabit Ethernet up to 1 Gbps
Operating temperature:	-40 °C ~ 85 °C

### Physical characteristics

Housing colour:	black
Housing material:	metal
Length:	142 mm
Width:	48 mm
Height:	116 mm