


Delock WLAN 802.11 ac/a/b/g/n Antenna RP-SMA 2 dBi omnidirectional fixed waterproof

Description

This wireless LAN antenna by Delock can be connected to a device with RP-SMA interface, in order to send and receive signals.

Bluetooth



RP-SMA

Item no. 88397

EAN: 4043619883974

Country of origin: Taiwan, Republic of China

Package: Zip poly bag

Technical details

- Connector: RP-SMA plug
- Frequency range:
 - 2.4000 - 2.4835 GHz
 - 5.1500 - 5.8250 GHz
- Antenna gain: 2 dBi
- Impedance: 50 Ohm
- Polarisation: vertical
- VSWR: 2
- Operating temperature: -20 °C ~ 65 °C
- Colour: black
- Antenna length: 17,8 cm
- Antenna diameter:
 - 6.0 mm (top)
 - 13.0 mm (body)
 - 12.5 mm (RP-SMA)


System requirements

- Device with a free RP-SMA jack

Package content

- WLAN antenna

Images



Interface

| | |
|------------|-----------------|
| connector: | 1 x RP-SMA plug |
|------------|-----------------|

Technical characteristics

| | |
|------------------------|--|
| Frequency range: | 2.4000 GHz - 2.4835 GHz 5.1000 - 5.8250 GHz |
| Antenna gain: | 2 dBi |
| Operating temperature: | -20 °C ~ 65 °C |
| Polarisation: | linear vertical |
| VSWR: | 2.0 |

Physical characteristics

| | |
|---------------------|-----------------|
| Antenna type: | omnidirectional |
| Housing material: | TPEE |
| Diameter: | 13.0 mm |
| Length: | 17.8 cm |
| Diameter connector: | 12.5 mm |
| Colour: | black |