

Delock Antenna Cable RP-SMA jack bulkhead to I-PEX Inc., MHF® I plug 1.13 20 cm thread length 10 mm splash proof

Description

This antenna cable by Delock is suitable to supply an antenna signal in the interior of a device.

Due to the loose sealing ring on the base plate on the RP-SMA panel socket ensures a splash-proof connection to the unit.



20 cm

Item no. 88746

EAN: 4043619887460

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x RP-SMA jack bulkhead >
 - 1 x I-PEX Inc., MHF® I plug
- Thread length: 10 mm
- Impedance: 50 Ohm
- Splash proof
- Cable: coaxial
- Cable type: 1.13
- Cable attenuation: 3.2 dB @ 2.4 GHz per meter
- Cable diameter: ca. 1.13 mm
- Smallest bending radius: 4.5 mm
- Cable colour: black
- Cable length incl. connectors: ca. 20 cm

System requirements

- Device with one free RP-SMA or I-PEX Inc., MHF® I port
-

Package content

- Cable
- Nut and Locking Ring

Interface

| | |
|--------------|-----------------------------|
| Connector 1: | 1 x RP-SMA jack bulkhead |
| Connector 2: | 1 x I-PEX Inc., MHF® I plug |

Technical characteristics

| | |
|------------|------|
| Impedance: | 50 Ω |
|------------|------|

Physical characteristics

| | |
|-------------------------------|----------------------------|
| Thread length: | 10 mm |
| Cable category: | coaxial |
| Cable type: | 1.13 |
| Cable attenuation: | 3.2 dB @ 2.4 GHz per meter |
| Cable colour: | black |
| Cable length incl. connector: | 20 cm |
| Smallest bending radius: | 4.5 mm |