

# Delock Antenă WLAN 802.11 ac/a/h/b/g/n RP-SMA tată 5,5 - 9 dBi, omnidirecțional, cu prelate neagră

## Descriere scurta

Această antenă LAN fără fir poate fi conectată la un dispozitiv WLAN cu interfață RP-SMA, pentru a trimite și a primi semnale.

Bluetooth



RP-SMA

**Nr. 88991**

EAN: 4043619889914

Țara de origine: Taiwan,  
Republic of China

Pachet: Retail Box

## Detalii tehnice

- Conector: RP-SMA tată
- Interval frecvență:  
2,400 - 2,500 GHz  
5,150 - 5,875 GHz
- Amplificare antenă:  
5,5 dBi @ 2,400 - 2,500 GHz  
9,0 dBi @ 5,150 - 5,875 GHz
- Impedanță: 50 Ohm
- Polarizare: liniară, verticală
- VSWR: 2,0
- Temperatură în stare de funcționare: -10 °C ~ 55 °C
- Material carcasă: ABS
- Culoare: negru
- Lungime:  
cca 296,10 mm (cu racord de înclinare)  
cca 245,00 mm (fără racord de înclinare)
- Diametru:  
cca 28,00 mm (max.)

cca 13,00 mm (RP-SMA)




## Cerinte de sistem

- Dispozitiv cu un port mamă RP-SMA liber

## Pachetul contine

- Antenă WLAN

## Imagini



## Interface

connector:	RP-SMA tată
------------	-------------

## Technical characteristics

Frequency range:	2.400 - 2.500 GHz 5.1500 GHz - 5.8750 GHz
Gain:	5,5 dBi @ 2,400 - 2,500 GHz 9,0 dBi @ 5,150 - 5,875 GHz
Impedance:	50 Ω
Temperatură în stare de funcționare:	-10 °C ~ 55 °C
Polarisation:	linear vertical
VSWR:	2,0

## Physical characteristics

Material carcasă:	ABS
Diameter:	28,00 mm
Diameter connector:	13 mm
Length with tilt joint:	296.10 mm
Length without tilt joint:	245.00 mm
Colour:	negru