


# Delock Placă PCI Express x4 > 1 x NVMe SFF-8654 4i internă, cu factor de formă cu profil redus

## Descriere scurta

Acest card PCI Express Delock extinde capacitățile PC-ului printr-un conector SFF-8654. De exemplu, se poate folosi un cablu opțional pentru conectarea unei unități SSD cu conector U.2. Placa transmite semnale PCI Express prin utilizarea protocolului NVMe.

**Nr. 89585**

EAN: 4043619895854

Țara de origine: Taiwan,  
Republic of China

Pachet: Retail Box

## Detalii tehnice

- Conectori:
  - 1 x SFF-8654 4i, 38 pini, mamă
  - 1 x PCI Express x4, V3.0
- Rată de transfer a datelor de până la 24 Gbps
- 1 x LED pentru prezență
- Posibilitate de încărcare a sistemului, de la UEFI versiunea 2.3.1
- Acceptă NVM Express (NVMe) 1.2


## Cerinte de sistem

- Windows 7/7-64/8.1/8.1-64/10/10-64, Linux ex Kernel 4.6
- PC cu slot PCI Express x4 / x8 / x16 / x32 liber

## Pachetul contine

- Placă PCI Express
- Consolă minimalistă
- Material de montare
- Manual de utilizare

## Imagini



## General

Function:	NVM Express (NVMe)
Supported operating system:	Linux Kernel 4.6 sau superior Windows 10 32-bit Windows 10 64-bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit

## Interface

Conector 1:	1 x SFF-8654 4i, 38 pini mamă
Conector 2:	1 x PCI Express x4, V3.0

## Technical characteristics

Data transfer rate:	up to 24 Gbps
---------------------	---------------