

# Delock Adapter SMA jack to MCX plug 3 GHz

## Description

This adapter by Delock is suitable for connecting components of radio frequency technology.



**Item no. 89989**

EAN: 4043619899890

Country of origin: Taiwan,  
Republic of China

Package: Zip poly bag

## Technical details

- Connectors:
  - 1 x SMA jack >
  - 1 x MCX plug
- Housing: brass gold plated
- Thread type: 1/4" - 36 UNS - 2A
- Frequency range: 3 GHz
- Impedance: 50 Ohm
- Operating temperature: -10 °C ~ 50 °C
- Dimensions (LxD): ca. 19.92 x 10.00 mm

## System requirements

- Device with one free SMA or MCX port

## Package content

- Adapter



### Interface

|              |              |
|--------------|--------------|
| Connector 1: | 1 x SMA jack |
| Connector 2: | 1 x MCX plug |

### Technical characteristics

|                        |                |
|------------------------|----------------|
| Frequency range:       | 3 GHz          |
| Operating temperature: | -10 °C ~ 50 °C |

### Physical characteristics

|                   |                    |
|-------------------|--------------------|
| Housing material: | brass gold plated  |
| Diameter:         | 10.0 mm            |
| Length:           | 19.92 mm           |
| Thread type:      | 1/4" - 36 UNS - 2A |